



BROCA PARA MADERA DE TRES PUNTAS

Ref. BM

Serie Standard



CV



SERIE STANDARD		
D1 mm		L1 x L2 mm
3,0	BM03	59 x 35
4,0	BM04	74 x 41
5,0	BM05	82 x 55
6,0	BM06	88 x 58
7,0	BM07	110 x 70
8,0	BM08	110 x 70
9,0	BM09	110 x 70
10,0	BM10	115 x 75
11,0	BM11	135 x 85
12,0	BM12	135 x 85
13,0	BM13	135 x 90
14,0	BM14	145 x 95
15,0	BM15	160 x 95
16,0	BM16	160 x 95
18,0	BM18	160 x 100
20,0	BM20	175 x 100
22,0	BM22	209 x 140

SERIE LARGA	
300 mm	
	L1 x L2 mm
BM05X300	300x160
BM06X300	300x160
BM07X300	300x160
BM08X300	300x160
BM09X300	300x160
BM10X300	300x160
BM11X300	300x160
BM12X300	300x160
BM13X300	300x160
BM14X300	300x160
BM15X300	300x160
BM16X300	300x160
BM18X300	300x160
BM20X300	300x160

SERIE EXTRA LARGA	
450 mm	
	L1 x L2 mm
BM08X450	450x250
BM09X450	450x250
BM10X450	450x250
BM11X450	450x250
BM12X450	450x250
BM13X450	450x250
BM14X450	450x250
BM15X450	450x250
BM16X450	450x250
BM18X450	450x250
BM20X450	450x250



REFERENCIA	BM9334	BM9335	BM9336	BM9333
Nº BROCAS	5	5	7	8
CALIDAD	SERIE STANDARD	SERIE STANDARD	SERIE STANDARD	SERIE STANDARD
CONTENIDO	Ø 4 - 5 - 6 - 8 - 10 mm	Ø 3 - 4 - 5 - 6 - 8 mm	Ø 3 - 4 - 5 - 6 - 7 - 8 - 10 mm	Ø 3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 mm
P.V.P. €				75



BROCA PARA MADERA DE TRES PUNTAS PROFESIONAL

Ref. BMPR

Serie Profesional



HSS



SERIE STANDARD		
D1 mm		L1 x L2 mm
3,0	BMPR03	59 x 35
4,0	BMPR04	74 x 41
5,0	BMPR05	82 x 55
6,0	BMPR06	88 x 58
7,0	BMPR07	110 x 70
8,0	BMPR08	110 x 70
9,0	BMPR09	110 x 70
10,0	BMPR10	115 x 75
11,0	BMPR11	135 x 85
12,0	BMPR12	135 x 85
13,0	BMPR13	135 x 90
14,0	BMPR14	145 x 95
15,0	BMPR15	160 x 95
16,0	BMPR16	165 x 95
18,0	BMPR18	160 x 100
20,0	BMPR20	175 x 100

SERIE LARGA	
245 mm	
	L1 x L2 mm
BMPR06X245	245x160
BMPR08X245	245x160
BMPR10X245	245x160
BMPR12X245	245x200
BMPR14X245	245x200
BMPR16X245	245x200
BMPR18X245	245x200

SERIE EXTRA LARGA	
400 mm	
	L1 x L2 mm
BMPR06X400	400x160
BMPR08X400	400x160
BMPR10X400	400x160
BMPR12X400	400x250
BMPR14X400	400x250
BMPR16X400	400x250
BMPR18X400	400x250



REFERENCIA	BMPR9334	BMPR9335	BMPR9336	BMPR9333
Nº BROCAS	5	5	7	8
CALIDAD	SERIE PROFESIONAL	SERIE PROFESIONAL	SERIE PROFESIONAL	SERIE PROFESIONAL
CONTENIDO	Ø 4 - 5 - 6 - 8 - 10 mm	Ø 3 - 4 - 5 - 6 - 8 mm	Ø 3 - 4 - 5 - 6 - 7 - 8 - 10 mm	Ø 3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 mm
P.V.P. €				



93 699 46 04



pedidos@suministrosrado.com www.suministrosrado.com

BROCA PARA MADERA CV, TIPO "S"

Ref. BM"S"


Tipo
S



CV



Para Ø 6 - Mango cilíndrico
Ø Superiores - Mango hexagonal



SERIE STANDARD		
230 mm		
D1 mm		L1x L2 mm
6,0	BM06X230	230x160
8,0	BM08X230	230x160
10,0	BM10X230	230x160
12,0	BM12X230	230x160
14,0	BM14X230	230x160
15,0	BM15X230	230x160
16,0	BM16X230	230x160
17,0	BM17X230	230x160
18,0	BM18X230	230x160
20,0	BM20X230	230x160
22,0	BM22X230	230x160
24,0	BM24X230	230x160
26,0	BM26X230	230x160
28,0	BM28X230	230x160
30,0	BM30X230	230x160
32,0	BM32X230	230x160
34,0	BM34X230	230x160
36,0	BM36X230	230x160
38,0	BM38X230	230x160

SERIE LARGA	
460 mm	
	L1x L2 mm
BM06X460	460x370
BM08X460	460x370
BM10X460	460x370
BM12X460	460x370
BM14X460	460x370
BM16X460	460x370
BM18X460	460x370
BM20X460	460x370
BM22X460	460x370
BM24X460	460x370
BM26X460	460x370
BM28X460	460x370
BM30X460	460x370
BM32X460	460x370
BM34X460	460x370
BM36X460	460x370
BM38X460	460x370

SERIE EXTRA LARGA	
650 mm	
	L1x L2 mm
BM06X650	650x550
BM08X650	650x550
BM10X650	650x550
BM12X650	650x550
BM14X650	650x550
BM16X650	650x550
BM18X650	650x550
BM20X650	650x550
BM22X650	650x550
BM24X650	650x550
BM26X650	650x550
BM28X650	650x550
BM30X650	650x550
BM32X650	650x550
BM34X650	650x550
BM36X650	650x550
BM38X650	650x550

ESTUCHES DE MADERA CON BROCAS CV TIPO "S"



Ref. BM9440

230 mm

REFERENCIA	BM9440	BM9441	BM9442	BM9443
Nº BROCAS	5	5	4	5
CALIDAD	SERIE STANDARD	SERIE STANDARD	SERIE STANDARD	SERIE STANDARD
CONTENIDO	Ø 6 - 8 - 10 - 12 - 14 mm	Ø 12 - 14 - 16 - 18 - 20 mm	Ø 8 - 10 - 12 - 14 mm	Ø 8 - 12 - 20 - 25 - 30 mm

460 mm

REFERENCIA	BM9540	BM9541	BM9542	BM9543
Nº BROCAS	5	5	4	5
CALIDAD	SERIE STANDARD	SERIE STANDARD	SERIE STANDARD	SERIE STANDARD
CONTENIDO	Ø 6 - 8 - 10 - 12 - 14 mm	Ø 12 - 14 - 16 - 18 - 20 mm	Ø 8 - 10 - 12 - 14 mm	Ø 8 - 12 - 20 - 25 - 30 mm

BROCA PARA MADERA CV, TIPO "S"


Ref. BMSDS

Tipo
S

SDS
Plus



CV



SERIE STANDARD		
230 mm		
D1 mm		L1x L2 mm
6,0	BMSDS06X230	230x160
8,0	BMSDS08X230	230x160
10,0	BMSDS10X230	230x160
12,0	BMSDS12X230	230x160
14,0	BMSDS14X230	230x160
16,0	BMSDS16X230	230x160
18,0	BMSDS18X230	230x160
20,0	BMSDS20X230	230x160
22,0	BMSDS22X230	230x160
24,0	BMSDS24X230	230x160
25,0	BMSDS25X230	230x160
26,0	BMSDS26X230	230x160
28,0	BMSDS28X230	230x160
30,0	BMSDS30X230	230x160
32,0	BMSDS32X230	230x160
34,0	BMSDS34X230	230x160
36,0	BMSDS36X230	230x160
38,0	BMSDS38X230	230x160

SERIE LARGA	
460 mm	
	L1x L2 mm
BMSDS06X460	460x370
BMSDS08X460	460x370
BMSDS10X460	460x370
BMSDS12X460	460x370
BMSDS14X460	460x370
BMSDS16X460	460x370
BMSDS18X460	460x370
BMSDS20X460	460x370
BMSDS22X460	460x370
BMSDS24X460	460x370
BMSDS25X460	460x370
BMSDS26X460	460x370
BMSDS28X460	460x370
BMSDS30X460	460x370
BMSDS32X460	460x370
BMSDS34X460	460x370
BMSDS36X460	460x370
BMSDS38X460	460x370

SERIE EXTRA LARGA	
650 mm	
	L1x L2 mm
BMSDS06X650	650x550
BMSDS08X650	650x550
BMSDS10X650	650x550
BMSDS12X650	650x550
BMSDS14X650	650x550
BMSDS16X650	650x550
BMSDS18X650	650x550
BMSDS20X650	650x550
BMSDS22X650	650x550
BMSDS24X650	650x550
BMSDS26X650	650x550
BMSDS28X650	650x550
BMSDS30X650	650x550
BMSDS32X650	650x550
BMSDS34X650	650x550
BMSDS36X650	650x550
BMSDS38X650	650x550


BROCA PARA MADERA DE METAL DURO, TIPO "S"

Ref. BMMD

Tipo
S



MD



Geometría con plaquita
de Metal Duro.
Ideal para maderas muy duras



SERIE STANDARD		
230 mm		
D1 mm		L1x L2 mm
10,0	BMMD10X230	230x160
12,0	BMMD12X230	230x160
14,0	BMMD14X230	230x160
16,0	BMMD16X230	230x160
18,0	BMMD18X230	230x160
20,0	BMMD20X230	230x160
22,0	BMMD22X230	230x160
24,0	BMMD24X230	230x160
26,0	BMMD26X230	230x160
28,0	BMMD28X230	230x160
30,0	BMMD30X230	230x160
32,0	BMMD3	

SERIE LARGA	
460 mm	
	L1x L2 mm
BMMD10X460	460x370
BMMD12X460	460x370
BMMD14X460	460x370
BMMD16X460	460x370
BMMD18X460	460x370
BMMD20X460	460x370
BMMD22X460	460x370
BMMD24X460	460x370
BMMD26X460	460x370
BMMD28X460	460x370
BMMD30X460	460x370


BROCA PARA MADERA CON CLAVOS CV, TIPO "S"

Ref. BMC

Tipo
S



CV



	D1 mm	L1 x L2 mm
BMC06X230	6,0	230 x 160
BMC08X230	8,0	230 x 160
BMC10X230	10,0	230 x 160
BMC12X230	12,0	230 x 160
BMC14X230	14,0	230 x 160
BMC15X230	15,0	230 x 160
BMC16X230	16,0	230 x 160
BMC17X230	17,0	230 x 160
BMC18X230	18,0	230 x 160
BMC20X230	20,0	230 x 160
BMC22X230	22,0	230 x 160
BMC24X230	24,0	230 x 160
BMC26X230	26,0	230 x 160
BMC28X230	28,0	230 x 160
BMC30X230	30,0	230 x 160
BMC32X230	32,0	230 x 160
BMC34X230	34,0	230 x 160
BMC36X230	36,0	230 x 160
BMC38X230	38,0	230 x 160


BROCA PARA MADERA CON DOBLE CANAL

Ref. BM2P

DOBLE
CANAL



CV



	D1 mm	L1 x L2 mm
BM2P06X230	6,0	230 x 160
BM2P08X230	8,0	230 x 160
BM2P10X230	10,0	230 x 160
BM2P12X230	12,0	230 x 160
BM2P14X230	14,0	230 x 160
BM2P15X230	15,0	230 x 160
BM2P16X230	16,0	230 x 160
BM2P17X230	17,0	230 x 160
BM2P18X230	18,0	230 x 160
BM2P20X230	20,0	230 x 160
BM2P22X230	22,0	230 x 160
BM2P24X230	24,0	230 x 160
BM2P26X230	26,0	230 x 160
BM2P28X230	28,0	230 x 160
BM2P30X230	30,0	230 x 160
BM2P32X230	32,0	230 x 160
BM2P34X230	34,0	230 x 160
BM2P36X230	36,0	230 x 160
BM2P38X230	38,0	230 x 160

BROCA CV PARA MADERA, TIPO "S" CON MANGO HEXAGONAL 1/4"





Ref. BMH



BMH			
	D1 mm		L1 x L2 mm
BMH03X100	3,0	1/4"	100 x 50
BMH04X100	4,0	1/4"	100 x 50
BMH05X105	5,0	1/4"	105 x 55
BMH06X105	6,0	1/4"	105 x 55
BMH07X105	7,0	1/4"	105 x 55
BMH08X105	8,0	1/4"	105 x 55
BMH09X110	9,0	1/4"	110 x 60
BMH10X110	10,0	1/4"	110 x 60
BMH11X110	11,0	1/4"	110 x 60
BMH12X110	12,0	1/4"	110 x 60
BMH13X110	13,0	1/4"	110 x 60
BMH14X110	14,0	1/4"	110 x 60
BMH15X110	15,0	1/4"	110 x 60
BMH16X115	16,0	1/4"	115 x 65
BMH17X115	17,0	1/4"	115 x 65
BMH18X115	18,0	1/4"	115 x 65
BMH19X120	19,0	1/4"	120 x 70
BMH20X120	20,0	1/4"	120 x 70
BMH21X120	21,0	1/4"	120 x 70
BMH22X120	22,0	3/8"	120 x 70
BMH23X120	23,0	3/8"	120 x 70
BMH24X120	24,0	3/8"	120 x 70
BMH25X130	25,0	3/8"	130 x 80
BMH26X130	26,0	3/8"	130 x 80
BMH27X130	27,0	3/8"	130 x 80
BMH28X130	28,0	3/8"	130 x 80
BMH29X130	29,0	3/8"	130 x 80
BMH30X130	30,0	3/8"	130 x 80
BMH33X140	33,0	3/8"	140 x 90
BMH36X140	36,0	3/8"	140 x 90

BROCA PARA AGUJEROS CUADRADOS EN MADERA

Ref. BMCC



BMCC			
	D1 mm	L1 x L2 mm	L3 mm
BMCC05	5,0	210 x 70	135
BMCC06	6,0	210 x 70	135
BMCC07	7,0	210 x 70	140
BMCC08	8,0	210 x 70	140
BMCC09	9,0	210 x 70	140
BMCC10	10,0	210 x 80	140
BMCC12	12,0	210 x 80	140
BMCC13	13,0	210 x 80	140
BMCC14	14,0	218 x 100	140
BMCC16	16,0	218 x 100	160
BMCC18	18,0	218 x 100	160
BMCC22	22,0	218 x 100	160




BROCA PLANA PARA MADERA MANGO HEXAGONAL 1/4"

Ref. BMP

Hexagonal
1/4"



CV



BMP		
	D1 mm	L1 mm
BMP06	6,0	150
BMP08	8,0	150
BMP10	10,0	150
BMP12	12,0	150
BMP13	13,0	150
BMP14	14,0	150
BMP15	15,0	150
BMP16	16,0	150
BMP17	17,0	150
BMP18	18,0	150
BMP19	19,0	150
BMP20	20,0	150
BMP22	22,0	150
BMP24	24,0	150
BMP25	25,0	150
BMP26	26,0	150
BMP28	28,0	150
BMP30	30,0	150
BMP32	32,0	150
BMP34	34,0	150
BMP35	35,0	150
BMP36	36,0	150
BMP38	38,0	150
BMP40	40,0	150

BROCA DE NUEVA GENERACIÓN 4 PUNTAS PARA MADERA TIPO CASTOR CON MANGO HEXAGONAL 1/4"

Ref. BM4P



**4
PUNTAS**



HSS



Hasta Ø26 - Mango hexagonal 1/4"
Ø Superiores-Mango hexagonal 11 mm



**CORTE LIMPIO
FÁCIL PENETRACIÓN
GRAN RENDIMIENTO
GRAN PRECISIÓN DE ORIFICIOS**

BM4P				
	D1 mm		D2 mm	L1 mm
BM4P10	10,0	1/4"	6,35	165
BM4P11	11,0	1/4"	6,35	165
BM4P12	12,0	1/4"	6,35	165
BM4P13	13,0	1/4"	6,35	165
BM4P15	15,0	1/4"	6,35	165
BM4P16	16,0	1/4"	6,35	165
BM4P18	18,0	1/4"	6,35	165
BM4P19	19,0	1/4"	6,35	165
BM4P20	20,0	1/4"	6,35	165
BM4P21	21,0	1/4"	6,35	165
BM4P22	22,0	1/4"	6,35	165
BM4P24	24,0	1/4"	6,35	165
BM4P25	25,0	1/4"	6,35	165
BM4P26	26,0	1/4"	6,35	165
BM4P28	28,0	7/16"	11,11	165
BM4P30	30,0	7/16"	11,11	165
BM4P32	32,0	7/16"	11,11	165
BM4P35	35,0	7/16"	11,11	165
BM4P38	38,0	7/16"	11,11	165
BM4P40	40,0	7/16"	11,11	165

ALARGADORES PARA MANGOS DE 6,35 mm Hexagonal 1/4"

ALARGADORES PARA MANGOS DE 11 mm



AM	
	DESCRIPCIÓN
AMC60	Alargador m/hexagonal, Lt 150 mm
AMC60AR	Alargador m/hexagonal, acople rápido, Lt 150 mm
AMC300	Alargador m/hexagonal, Lt 300 mm
AMSDS60	Alargador m/SDS-PLUS, Lt 60 mm
AMSDS60AR	Alargador m/SDS-PLUS, acople rápido, Lt 60 mm
AMSDS300	Alargador m/SDS-PLUS, Lt 300 mm
AMSDS300AR	Alargador m/SDS-PLUS, acople rápido, Lt 300 mm

AM	
	DESCRIPCIÓN
AMC11	Alargador m/hexagonal Lt 300mm

BROCAS PARA ENCAJE DE BISAGRAS DIENTES DE METAL DURO


Ref. BB
Ref. BMF



MD



Hasta Ø 65 - Mango cilíndrico
Ø Superiores - Mango hexagonal



BB

	D1 mm	D2 mm	L1 x L2 mm
*BB20B	20,0	8	90 x 15
*BB25B	25,0	8	90 x 15
*BB26B	26,0	8	90 x 15
*BB30B	30,0	8	90 x 15
*BB32B	32,0	10	90 x 15
*BB35B	35,0	10	90 x 15
*BB40B	40,0	10	90 x 15
BB50	50,0	10	90 x 15
BB55	55,0	10	90 x 15
BB60	60,0	12	90 x 15
BB65	65,0	12	90 x 15
BB70	70,0	12	90 x 15
BB75	75,0	12	90 x 15
BB80	80,0	12	90 x 15
BB85	85,0	12	90 x 15
BB90	90,0	12	90 x 15

* Herramienta en blister

BMF


	D1 mm	D2 mm	L1 mm
BMF16	16,0	9	140
BMF18	18,0	9	140
BMF20	20,0	9	140
BMF22	22,0	9	140
BMF24	24,0	9	140
BMF25	25,0	9	140
BMF26	26,0	9	140
BMF28	28,0	9	140
BMF30	30,0	9	140
BMF32	32,0	9	140
BMF35	35,0	9	140
BMF40	40,0	9	140
BMF42	42,0	9	140
BMF45	45,0	9	140
BMF50	50,0	9	140
BMF55	55,0	9	210
BMF60	60,0	9	210
BMF65	65,0	9	210
BMF70	70,0	9	210
BMF75	75,0	9	210
BMF80	80,0	9	210
BMF85	85,0	9	210
BMF90	90,0	9	210

BROCA "FORSTNER" DE CV PARA MADERA

Ref. BMF1



CV




BMF1

D	L1 1 mm	2 mm	
BMF106	6,0	8,0	90
BMF108	8,0	8,0	90
BMF110	10,0	8,0	90
BMF111	11,0	8,0	90
BMF112	12,0	8,0	90
BMF113	13,0	8,0	90
BMF114	14,0	8,0	90
BMF115	15,0	8,0	90
BMF116	16,0	8,0	90
BMF118	18,0	8,0	90
BMF119	19,0	8,0	90
BMF120	20,0	8,0	90
BMF121	21,0	8,0	90
BMF122	22,0	8,0	90
BMF124	24,0	8,0	90
BMF125	25,0	8,0	90
BMF126	26,0	8,0	90
BMF127	27,0	8,0	90
BMF128	28,0	8,0	90
BMF130	30,0	8,0	90
BMF132	32,0	10,0	90
BMF134	34,0	10,0	90
BMF135	35,0	10,0	90
BMF136	36,0	10,0	90
BMF138	38,0	10,0	90
BMF140	40,0	10,0	90
BMF141	41,0	10,0	90
BMF143	43,0	10,0	90
BMF144	44,0	10,0	90
BMF145	45,0	10,0	90
BMF146	46,0	10,0	90
BMF148	48,0	10,0	90
BMF149	49,0	10,0	90
BMF150	50,0	10,0	90
BMF151	51,0	10,0	90
BMF152	52,0	10,0	90
BMF154	54,0	10,0	90
BMF157	57,0	12,5	159
BMF160	60,0	12,5	159
BMF163	63,0	12,5	159
BMF166	66,0	12,5	159
BMF170	70,0	12,5	159
BMF173	73,0	12,5	159
BMF176	76,0	12,5	159
BMF179	79,0	12,5	159
BMF183	83,0	12,5	159
BMF186	86,0	12,5	159
BMF189	89,0	12,5	159

BROCA PARA ENSAMBLAJE DE TORNILLOS EN MADERA CON MANGO HEXAGONAL

Ref. BM3



BM3			
	D1 mm	D2 mm	D3 mm
BM306	6,0	1,5	3,0
BM308	8,0	2,0	3,5
BM310	10,0	2,5	4,0
BM312	12,0	2,5	4,0

BROCA PARA LA INSTALACIÓN DE CERRADURAS Y BISAGRAS EN MADERA, MANGO HEXAGONAL

Ref. BM4



BM4		
	D1 mm	D2 mm
BM406	6,0	2,0
BM408	8,0	2,7
BM410	10,0	3,5
BM412	12,0	4,5

BROCA HSS PARA MADERA CON AVELLANADOR MANGO CILÍNDRICO Y MANGO HEXAGONAL

Ref. BM5



Ref. BM6



BM5		
	D1 mm	D2 mm
BM506	6,0	2,3
BM508	8,0	2,7
BM510	10,0	3,1
BM512	12,0	3,5

BM6			
	D1 mm	D2 mm	€
BM603	16,0	3,0	9,46
BM604	16,0	4,0	10,08
BM605	16,0	5,0	10,53
BM606	16,0	6,0	11,65
BM607	16,0	7,0	11,88

BM6			
	D1 mm	D2 mm	
BM608	16,0	8,0	
BM609	16,0	9,0	
BM610	16,0	10,0	
BM611	20,0	11,0	
BM612	20,0	12,0	

BROCA EXTENSIBLE PARA MADERA CV


Ref. BME



BME		
	CAPACIDAD	
BME 15/45	15-45	
BME 25/75	25-75	

BROCA CON 3 PUNTAS DE METAL DURO PARA MADERA

Ref. BMMD



BMMD				
	D1 mm	D2 mm	L1 x L2 mm	
BMMD03	3,0	3,0	75 x 35	
BMMD04	4,0	4,0	75 x 35	
BMMD05	5,0	5,0	86 x 52	
BMMD06	6,0	6,0	98 x 57	
BMMD07	7,0	7,0	100 x 60	
BMMD08	8,0	8,0	110 x 63	
BMMD09	9,0	9,0	102 x 63	
BMMD10	10,0	10,0	102 x 63	
BMMD11	11,0	11,0	110 x 63	
BMMD12	12,0	12,0	110 x 63	
BMMD13	13,0	12,7	110 x 63	
BMMD14	14,0	12,7	110 x 63	
BMMD15	15,0	12,7	110 x 63	
BMMD16	16,0	12,7	110 x 63	
BMMD18	18,0	12,7	140 x 63	
BMMD20	20,0	12,7	140 x 63	
BMMD22	22,0	12,7	140 x 63	
BMMD24	24,0	12,7	170 x 63	
BMMD25	25,0	12,7	170 x 63	
BMMD26	26,0	12,7	170 x 63	
BMMD28	28,0	12,7	170 x 63	
BMMD30	30,0	12,7	170 x 63	

AVELLANADORES PARA MADERA



Ref. AV26

AV25			
	D1 mm	D2 mm	
AV250312	3,0	12	
AV250412	4,0	12	
AV250512	5,0	12	
AV250612	6,0	12	
AV26			
	D1 mm	D2 mm	
AV260316	3,0	16	
AV260416	4,0	16	
AV260516	5,0	16	
AV260616	6,0	16	
AV260816	8,0	16	

TOPE DE PROFUNDIDAD PARA BROCAS CON MANGO CILÍNDRICO



Ref. TOPE

TOPE		
	D1 mm	
TOPE03	3,0	
TOPE04	4,0	
TOPE05	5,0	
TOPE06	6,0	
TOPE08	8,0	
TOPE10	10,0	
TOPE12	12,0	

BROCAS PARA ENCOFRADOS DE MADERA DIN 7490 MANGO CILÍNDRICO CV

Ref. BE




CV

DIN
7490



* Mango roscado al cuerpo de la broca



Ref. BE06X400

Ref. BE06X600

Ref. BE06X800

Ref. BE06X1000

LONGITUD TOTAL 400 mm

BE	D1 mm	L1 mm	
BE06X400	6,0	400	
BE08X400	8,0	400	
BE10X400	10,0	400	
BE12X400	12,0	400	
BE14X400	14,0	400	
BE16X400	16,0	400	
BE18X400	18,0	400	
BE20X400	20,0	400	
BE22X400	22,0	400	
BE24X400	24,0	400	
BE26X400	26,0	400	
BE28X400	28,0	400	
BE30X400	30,0	400	

LONGITUD TOTAL 600 mm

BE	D1 mm	L1 mm	
BE06X600	6,0	600	
BE08X600	8,0	600	
BE10X600	10,0	600	
BE12X600	12,0	600	
BE14X600	14,0	600	
BE16X600	16,0	600	
BE18X600	18,0	600	
BE20X600	20,0	600	
BE22X600	22,0	600	
BE24X600	24,0	600	
BE26X600	26,0	600	
BE28X600	28,0	600	
BE30X600	30,0	600	

LONGITUD TOTAL 800 mm

BE	D1 mm	L1 mm	
BE06X800	6,0	800	
BE08X800	8,0	800	
BE10X800	10,0	800	
BE12X800	12,0	800	
BE14X800	14,0	800	
BE16X800	16,0	800	
BE18X800	18,0	800	
BE20X800	20,0	800	
BE22X800	22,0	800	
BE24X800	24,0	800	
BE26X800	26,0	800	
BE28X800	28,0	800	
BE30X800	30,0	800	

LONGITUD TOTAL 1000 mm

BE	D1 mm	L1 mm	
BE06X1000	6,0	1000	
BE08X1000	8,0	1000	
BE10X1000	10,0	1000	
BE12X1000	12,0	1000	
BE14X1000	14,0	1000	
BE16X1000	16,0	1000	
BE18X1000	18,0	1000	
BE20X1000	20,0	1000	
BE22X1000	22,0	1000	
BE24X1000	24,0	1000	
BE26X1000	26,0	1000	
BE28X1000	28,0	1000	
BE30X1000	30,0	1000	

BROCAS PARA ENCOFRADOS DE MADERA MANGO SDS PLUS

Ref. BESDS




CV

DIN
7490



* Mango roscado al cuerpo de la broca



Ref. BESDS06X400

Ref. BESDS06X600

Ref. BESDS06X800

Ref. BESDS06X1000

LONGITUD TOTAL 400 mm

BESDS	D1 mm	L1 mm	
BESDS06X400	6,0	400	
BESDS08X400	8,0	400	
BESDS10X400	10,0	400	
BESDS12X400	12,0	400	
BESDS14X400	14,0	400	
BESDS16X400	16,0	400	
BESDS18X400	18,0	400	
BESDS20X400	20,0	400	
BESDS22X400	22,0	400	
BESDS24X400	24,0	400	
BESDS26X400	26,0	400	
BESDS28X400	28,0	400	
BESDS30X400	30,0	400	

LONGITUD TOTAL 600 mm

BESDS	D1 mm	L1 mm	
BESDS06X600	6,0	600	
BESDS08X600	8,0	600	
BESDS10X600	10,0	600	
BESDS12X600	12,0	600	
BESDS14X600	14,0	600	
BESDS16X600	16,0	600	
BESDS18X600	18,0	600	
BESDS20X600	20,0	600	
BESDS22X600	22,0	600	
BESDS24X600	24,0	600	
BESDS26X600	26,0	600	
BESDS28X600	28,0	600	
BESDS30X600	30,0	600	

LONGITUD TOTAL 800 mm

BESDS	D1 mm	L1 mm	
BESDS06X800	6,0	800	
BESDS08X800	8,0	800	
BESDS10X800	10,0	800	
BESDS12X800	12,0	800	
BESDS14X800	14,0	800	
BESDS16X800	16,0	800	
BESDS18X800	18,0	800	
BESDS20X800	20,0	800	
BESDS22X800	22,0	800	
BESDS24X800	24,0	800	
BESDS26X800	26,0	800	
BESDS28X800	28,0	800	
BESDS30X800	30,0	800	

LONGITUD TOTAL 1000 mm

BESDS	D1 mm	L1 mm	
BESDS06X1000	6,0	1000	
BESDS08X1000	8,0	1000	
BESDS10X1000	10,0	1000	
BESDS12X1000	12,0	1000	
BESDS14X1000	14,0	1000	
BESDS16X1000	16,0	1000	
BESDS18X1000	18,0	1000	
BESDS20X1000	20,0	1000	
BESDS22X1000	22,0	1000	
BESDS24X1000	24,0	1000	
BESDS26X1000	26,0	1000	
BESDS28X1000	28,0	1000	
BESDS30X1000	30,0	1000	