



## CLAMP BS 4825

Tamaño	OD ID Ø	(MM) (MM)	Ø Brida (MM)	Pared (MM)	Long. (MM)	Peso (KG)
1/2"	12.70	9.5	25.0	1.60	21.5	0.02
3/4"	19.05	15.85	25.0	1.60	21.5	0.02
1"	25.65	22.20	50.5	1.73	21.5	0.08
1 1/2"	38.35	34.90	50.5	1.73	21.5	0.06
2"	51.05	47.60	64.0	1.73	21.5	0.08
2 1/2"	63.75	60.30	77.5	1.73	21.5	0.10
3"	76.45	73.00	91.0	1.73	21.5	0.13
3 1/2"	88.90	84.70	106.0	2.10	21.5	0.21
4"	101.85	97.60	119.0	2.13	21.5	0.21
4 1/2"	114.95	110.30	130.0	2.33	28.0	0.25
5"	127.00	123.00	144.0	2.33	28.0	0.41
5 1/2"	140.55	135.7	155.0	2.43	28.0	0.41
6"	154.00	150.00	167.0	2.00	28.0	0.38
6 5/8"	169.35	163.10	183.0	3.13	28.0	0.56
8"	204.00	200.00	217.4	2.00	28.0	0.52
8 5/8"	220.55	213.90	233.5	2.33	28.0	0.73
10"	254.00	250.00	268.0	2.00	28.0	0.65
10 5/8"	273.00	266.30	286.1	3.35	28.0	0.93
12"	304.80	300.80	319.0	2.00	28.0	0.81
12 5/8"	323.80	315.90	338.0	3.95	28.0	1.28



## CLAMP DIN 3676

Tamaño	OD ID Ø	(MM) (MM)	Ø Brida (MM)	Pared (MM)	Long. (MM)	Peso (KG)
DN 10	13.0	10.00	34.0	1.5	18	0.03
DN 15	19.0	16.00	34.0	1.5	18	0.03
DN 20	23.0	20.00	34.0	1.5	18	0.03
DN 25	29.0	26.00	50.5	1.5	21.5	0.07
DN 32	35.0	32.00	50.5	1.5	21.5	0.06
DN 40	41.0	38.00	50.5	1.5	21.5	0.05
DN 50	53.0	50.00	64.0	1.5	21.5	0.07
DN 65	70.0	66.00	91.0	2	28	0.19
DN 80	85.0	81.00	106.0	2	28	0.23
DN 100	104.0	100.00	119.0	2	28	0.22
DN 125	129.0	125.00	155.0	2	28	0.53
DN 125 II	129.0	125.00	144.4	2	28	0.30
DN 150	154.0	150.00	183.0	2	28	0.76
DN 150 II	154.0	150.00	167.0	2	28	0.38
DN 200	204.0	200.00	233.5	2	28	0.93
DN 200 II	204.0	200.00	217.4	2	28	0.51
DN 250	254.00	250.00	268.0	2	28	0.65
DN 300	304.0	300.00	319.0	2	28	0.81

## CLAMP ISO 2852

Tamaño	OD ID Ø	(MM) (MM)	Ø Brida (MM)	Pared (MM)	Long. (MM)	Peso (KG)
8	13.5	10.30	25.0	1.6	21.5	0.02
10	17.2	14.00	25.0	1.6	21.5	0.02
15	21.3	18.10	50.5	1.6	21.5	0.08
20	26.9	22.90	50.5	2.00	21.5	0.08
25	33.7	29.70	50.5	2.00	21.5	0.07
32	42.4	38.40	64.0	2.00	21.5	0.11
40	48.3	44.30	64.0	2.00	21.5	0.09
50	60.3	56.30	77.5	2.00	21.5	0.12
65	76.1	72.10	91.0	2.00	21.5	0.14
80	88.9	84.90	106.0	2.00	21.5	0.18
100	114.3	110.30	130.0	2.00	28.5	0.25
125	139.7	135.70	155.0	2.00	28	0.37
150	168.3	163.10	183.0	2.6	28	0.51
200	219.10	213.90	233.5	2.6	28	0.66
250	273.00	267.80	286.1	2.6	28	0.93
300	323.90	318.70	338.5	2.6	28	1.28

